

```

<?xml version="1.0"?>
<AlteryxDocument yxmdVer="2019.2">
  <Nodes>
    <Node ToolID="17">
      <GuiSettings Plugin="AlteryxGuiToolkitTextBox TextBox">
        <Position x="54" y="498" width="84" height="96" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>User Details</Text>
          <Font name="Arial" size="8.25" style="O" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="O" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="O">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="12">
      <GuiSettings Plugin="AlteryxGuiToolkitTextBox TextBox">
        <Position x="54" y="270" width="84" height="180" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Initial State</Text>
          <Font name="Arial" size="8.25" style="O" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="O" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="O">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="1">
      <GuiSettings Plugin="AlteryxBasePluginsGuiTextInputTextInput">
        <Position x="66" y="522" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <NumRows value="10" />
          <Fields>
            <Field name="Field1" />
          </Fields>
          <Data>
            <r>
              <c>Bob112815847 Union St,Arvada180004</c>
            </r>
          </Data>
        </Configuration>
      </Properties>
    </Node>
  </Nodes>
</AlteryxDocument>

```

```

    </r>
    <r>
      <c>Loul29112751 Wolff StDenver80212</c>
    </r>
    <r>
      <c>Jack7871915 S Lima StAurora80012</c>
    </r>
    <r>
      <c>Drew48312801 E Kansas PlAurora80012</c>
    </r>
    <r>
      <c>Nancy46612721 S Truckee StAurora80013</c>
    </r>
    <r>
      <c>Patrice12376 S Jasmine StDenver80224</c>
    </r>
    <r>
      <c>Zara2521177 Sequerra StBroomfield80020</c>
    </r>
    <r>
      <c>Sherry331015935 E Bethany PlAurora80013</c>
    </r>
    <r>
      <c>Ralph96014851 S Genoa StCentennial80015</c>
    </r>
    <r>
      <c>Hudson131915595 S Kenton WayEnglewood80111</c>
    </r>
  </Data>
</Configuration>
<Annotation DisplayMode="O">
  <Name />
  <DefaultAnnotationText />
  <Left value="False" />
</Annotation>
</Properties>
<EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTextInput" />
</Node>
<Node ToolID="9">
  <GuiSettings Plugin="AlteryxGuiToolkitTextBoxTextBox">
    <Position x="66" y="54" width="408" height="72" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Text>Practice Exercise 2</Text>
      <Font name="Montserrat ExtraBold" size="21.75" style="I" />
      <TextColor name="White" />
      <FillColor r="13" g="35" b="69" />
      <Shape shape="O" />
      <Justification Justification="4" />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>

```

```

    </Properties>
  </Node>
  <Node ToolID="10">
    <GuiSettings Plugin="AlteryxGuiToolkitTextBoxTextBox">
      <Position x="66" y="102" width="408" height="60" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <Text>Combine both sets of Customer Transactions
then combine those entries with the
User Details information.</Text>
        <Font name="Montserrat" size="11.25" style="O" />
        <TextColor name="White" />
        <FillColor r="13" g="35" b="69" />
        <Shape shape="O" />
        <Justification Justification="4" />
      </Configuration>
      <Annotation DisplayMode="O">
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
      </Annotation>
    </Properties>
  </Node>
  <Node ToolID="11">
    <GuiSettings Plugin="AlteryxGuiToolkitTextBoxTextBox">
      <Position x="66" y="186" width="408" height="48" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <Text>Combine the Customer Transaction data in "Start 21" and "Start 22" and ensure there are no duplicate users. Then
combine those results with the "User Details". The "User Details" information is delimited by pipes |.(ctrl + \).</Text>
        <Font name="Arial" size="8.25" style="O" />
        <TextColor name="Black" />
        <FillColor name="White" />
        <Shape shape="O" />
        <Justification Justification="3" />
      </Configuration>
      <Annotation DisplayMode="O">
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
      </Annotation>
    </Properties>
  </Node>
  <Node ToolID="13">
    <GuiSettings Plugin="AlteryxGuiToolkitTextBoxTextBox">
      <Position x="594" y="270" width="84" height="96" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <Text>Final State.</Text>
        <Font name="Arial" size="8.25" style="O" />
        <TextColor name="Black" />
        <FillColor name="White" />
        <Shape shape="O" />

```

```

    <Justification Justification="4" />
  </Configuration>
  <Annotation DisplayMode="O">
    <Name />
    <DefaultAnnotationText />
    <Left value="False" />
  </Annotation>
</Properties>
</Node>
<Node ToolID="16">
  <GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
    <Position x="606" y="294" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Passwords />
      <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Final State - Exercise 2.yxdb</File>
      <FormatSpecificOptions />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText>Final State - Exercise 2.yxdb</DefaultAnnotationText>
      <Left value="False" />
    </Annotation>
    <MetaInfo connection="Output">
      <RecordInfo>
        <Field name="Customer_ID" size="5" source="TextInput" type="V_String" />
        <Field name="Store_Number" size="3" source="TextInput" type="V_String" />
        <Field name="Customer_Segment" size="14" source="TextInput" type="V_String" />
        <Field name="Region" size="5" source="TextInput" type="V_String" />
        <Field name="Annual Transactions" source="TextInput" type="Int64" />
        <Field description="TextToColumns Parsed from Field" name="Name" size="45" source="TextToColumns Parsed from Field" type="V_String" />
        <Field description="TextToColumns Parsed from Field" name="Address" size="45" source="TextToColumns Parsed from Field" type="V_String" />
        <Field description="TextToColumns Parsed from Field" name="City" size="45" source="TextToColumns Parsed from Field" type="V_String" />
        <Field description="TextToColumns Parsed from Field" name="Zip" size="45" source="TextToColumns Parsed from Field" type="V_String" />
      </RecordInfo>
    </MetaInfo>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
</Node>
<Node ToolID="18">
  <GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
    <Position x="66" y="306" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Passwords />
      <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Start 21.yxdb</File>
      <FormatSpecificOptions />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />

```

```

    <DefaultAnnotationText>Start 2.1.xpdb</DefaultAnnotationText>
    <Left value="False" />
  </Annotation>
  <MetaInfo connection="Output">
    <RecordInfo>
      <Field name="Customer-ID" size="5" source="TextInput" type="V-String" />
      <Field name="Store-Number" size="3" source="TextInput" type="V-String" />
      <Field name="Customer-Segment" size="14" source="TextInput" type="V-String" />
      <Field name="Region" size="5" source="TextInput" type="V-String" />
      <Field name="Annual Transactions" source="TextInput" type="Int6" />
    </RecordInfo>
  </MetaInfo>
</Properties>
<EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
</Node>
<Node ToolID="19">
  <GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
    <Position x="66" y="378" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Passwords />
      <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Start 2.2.xpdb</File>
      <FormatSpecificOptions />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText>Start 2.2.xpdb</DefaultAnnotationText>
      <Left value="False" />
    </Annotation>
    <MetaInfo connection="Output">
      <RecordInfo>
        <Field name="Customer-ID" size="5" source="TextInput" type="V-String" />
        <Field name="Store-Number" size="3" source="TextInput" type="V-String" />
        <Field name="Customer-Segment" size="14" source="TextInput" type="V-String" />
        <Field name="Region" size="5" source="TextInput" type="V-String" />
        <Field name="Annual Transactions" source="TextInput" type="Int6" />
      </RecordInfo>
    </MetaInfo>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
</Node>
<Node ToolID="21">
  <GuiSettings Plugin="AlteryxBasePluginsGuiUnion.Union">
    <Position x="222" y="306" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <ByName_ErrorMode>Warning</ByName_ErrorMode>
      <ByName_OutputMode>All</ByName_OutputMode>
      <Mode>ByName</Mode>
      <SetOutputOrder value="False" />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
    </Annotation>
  </Properties>

```

```

    <Left value="False" />
  </Annotation>
</Properties>
<EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxUnion" />
</Node>
<Node ToolID="23">
  <GuiSettings Plugin="AlteryxBasePluginsGuiUniqueUnique">
    <Position x="306" y="306" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <UniqueFields>
        <Field field="Customer_ID" />
      </UniqueFields>
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxUnique" />
</Node>
<Node ToolID="24">
  <GuiSettings Plugin="AlteryxBasePluginsGuiJoinJoin">
    <Position x="426" y="306" />
  </GuiSettings>
  <Properties>
    <Configuration joinByRecordPos="False">
      <JoinInfo connection="Left">
        <Field field="Customer_ID" />
      </JoinInfo>
      <JoinInfo connection="Right">
        <Field field="Customer_ID" />
      </JoinInfo>
      <SelectConfiguration>
        <Configuration outputConnection="Join">
          <OrderChanged value="False" />
          <CommaDecimal value="False" />
          <SelectFields>
            <SelectField field="Right_CustomerID" selected="False" input="Right" />
            <SelectField field="*Unknown" selected="True" />
          </SelectFields>
        </Configuration>
      </SelectConfiguration>
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxJoin" />
</Node>
<Node ToolID="25">
  <GuiSettings Plugin="AlteryxBasePluginsGuiTextToColumnsTextToColumns">

```

```

    <Position x="222" y="522" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Field>Field</Field>
      <ErrorHandler>Last</ErrorHandler>
      <RootName>
      </RootName>
      <Delimiters value="|" />
      <NumFields value="5" />
      <Flags value="0" />
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTextToColumns" />
</Node>
<Node ToolID="26">
  <GuiSettings Plugin="AlteryxBasePluginsGui.AlteryxSelect.AlteryxSelect">
    <Position x="318" y="522" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <OrderChanged value="False" />
      <CommaDecimal value="False" />
      <SelectFields>
        <SelectField field="Field1" selected="False" />
        <SelectField field="1" selected="True" rename="Name" />
        <SelectField field="2" selected="True" rename="CustomerID" />
        <SelectField field="3" selected="True" rename="Address" />
        <SelectField field="4" selected="True" rename="City" />
        <SelectField field="5" selected="True" rename="Zip Code" />
        <SelectField field="*Unknown" selected="True" />
      </SelectFields>
    </Configuration>
    <Annotation DisplayMode="O">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxSelect" />
</Node>
</Nodes>
<Connections>
  <Connection>
    <Origin ToolID="1" Connection="Output" />
    <Destination ToolID="25" Connection="Input" />
  </Connection>
  <Connection name="#1">
    <Origin ToolID="18" Connection="Output" />
    <Destination ToolID="21" Connection="Input" />
  </Connection>

```

```

<Connection name="#2">
  <Origin ToolID="19" Connection="Output" />
  <Destination ToolID="21" Connection="Input" />
</Connection>
<Connection>
  <Origin ToolID="21" Connection="Output" />
  <Destination ToolID="23" Connection="Input" />
</Connection>
<Connection>
  <Origin ToolID="23" Connection="Unique" />
  <Destination ToolID="24" Connection="Left" />
</Connection>
<Connection>
  <Origin ToolID="26" Connection="Output" />
  <Destination ToolID="24" Connection="Right" />
</Connection>
<Connection>
  <Origin ToolID="25" Connection="Output" />
  <Destination ToolID="26" Connection="Input" />
</Connection>
</Connections>
<Properties>
  <Memory default="True" />
  <GlobalRecordLimit value="0" />
  <TempFiles default="True" />
  <Annotation on="True" includeToolName="False" />
  <ConcErrorLimit value="10" />
  <ConcErrorLimitStop value="False" />
  <CancelOnError value="False" />
  <DisableBrowse value="False" />
  <EnablePerformanceProfiling value="False" />
  <DisableAllOutput value="False" />
  <ShowAllMacroMessages value="False" />
  <ShowConnectionStatusIsOn value="True" />
  <ShowConnectionStatusOnlyWhenRunning value="True" />
  <ZoomLevel value="0" />
  <LayoutType>Horizontal</LayoutType>
  <MetalInfo>
    <NameIsFileName value="True" />
    <Name>Practice Exercise 2</Name>
    <Description />
    <RootToolName />
    <ToolVersion />
    <ToolInDb value="False" />
    <CategoryName />
    <SearchTags />
    <Author />
    <Company />
    <Copyright />
    <DescriptionLink actual="" displayed="" />
    <Example>
      <Description />
      <File />
    </Example>
  </MetalInfo>
</Events>

```



```
<Enabled value="True" />  
</Events>  
</Properties>  
</AlteryxDocument>
```