```xml
<?xml version="1.0"?>
<AlteryxDocument yxmdVer="2019.2">
  <Nodes>
    <Node ToolID="1">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="54" y="330" width="84" height="96" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Initial State</Text>
          <Font name="Arial" size="8.25" style="0" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="0" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="18">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="54" y="438" width="84" height="96" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Shipping Methods</Text>
          <Font name="Arial" size="8.25" style="0" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="0" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="19">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="54" y="546" width="84" height="96" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Product Categories</Text>
          <Font name="Arial" size="8.25" style="0" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="0" />
          <Justification Justification="4" />
        </Configuration>
```

```xml
          <Annotation DisplayMode="0">
            <Name />
            <DefaultAnnotationText />
            <Left value="False" />
          </Annotation>
        </Properties>
    </Node>
    <Node ToolID="20">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="54" y="678" width="84" height="96" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Product Details</Text>
          <Font name="Arial" size="8.25" style="0" />
          <TextColor name="Black" />
          <FillColor name="White" />
          <Shape shape="0" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="2">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="78" y="54" width="528" height="72" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Practice Exercise 4</Text>
          <Font name="Montserrat ExtraBold" size="21.75" style="1" />
          <TextColor name="White" />
          <FillColor r="13" g="35" b="69" />
          <Shape shape="0" />
          <Justification Justification="4" />
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
    </Node>
    <Node ToolID="3">
      <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
        <Position x="78" y="102" width="528" height="84" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Text>Use the Shipping Methods table to add Shipping Methods as a column to "Start 4.1". Combine the "Product Details" and
"Product Categories" information   Finally flag all orders containing "Technology" items that were shipped "Freight".</Text>
          <Font name="Montserrat" size="11.25" style="0" />
```

```
                <TextColor name="White" />
                <FillColor r="13" g="35" b="69" />
                <Shape shape="0" />
                <Justification Justification="4" />
            </Configuration>
            <Annotation DisplayMode="0">
                <Name />
                <DefaultAnnotationText />
                <Left value="False" />
            </Annotation>
        </Properties>
    </Node>
    <Node ToolID="4">
        <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
            <Position x="78" y="198" width="528" height="108" />
        </GuiSettings>
        <Properties>
            <Configuration>
                <Text>Associate the appropriate "Shipping Method" with each order based on its "Order_Priority".

Then combine the "Product Categories" information with the "Product Details" info (the headers in Product Details are product SKUs).

Finally combine both datastreams to flag all orders which contained "Technology" items and were sent via "Freight". Mark those orders with "REVIEW" and all others with null</Text>
                <Font name="Arial" size="8.25" style="0" />
                <TextColor name="Black" />
                <FillColor name="White" />
                <Shape shape="0" />
                <Justification Justification="3" />
            </Configuration>
            <Annotation DisplayMode="0">
                <Name />
                <DefaultAnnotationText />
                <Left value="False" />
            </Annotation>
        </Properties>
    </Node>
    <Node ToolID="5">
        <GuiSettings Plugin="AlteryxGuiToolkit.TextBox.TextBox">
            <Position x="606" y="330" width="84" height="96" />
        </GuiSettings>
        <Properties>
            <Configuration>
                <Text>Final State</Text>
                <Font name="Arial" size="8.25" style="0" />
                <TextColor name="Black" />
                <FillColor name="White" />
                <Shape shape="0" />
                <Justification Justification="4" />
            </Configuration>
            <Annotation DisplayMode="0">
                <Name />
                <DefaultAnnotationText />
                <Left value="False" />
            </Annotation>
        </Properties>
```

```
      </Node>
      <Node ToolID="6">
        <GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
          <Position x="66" y="570" />
        </GuiSettings>
        <Properties>
          <Configuration>
            <Passwords />
            <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Product Categories.yxdb</File>
            <FormatSpecificOptions />
          </Configuration>
          <Annotation DisplayMode="0">
            <Name />
            <DefaultAnnotationText>Product Categories.yxdb</DefaultAnnotationText>
            <Left value="False" />
          </Annotation>
          <MetaInfo connection="Output">
            <RecordInfo>
              <Field name="Product_Category" size="255" source="Summarize: GroupBy - Product_Category" type="V_String" />
              <Field name="Product_Sub-Category" size="255" source="Summarize: GroupBy - Product_Sub-Category" type="V_String" />
              <Field name="Product SKU" size="2147483647" source="Summarize: Concat - ID" type="V_String" />
            </RecordInfo>
          </MetaInfo>
        </Properties>
        <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
      </Node>
      <Node ToolID="11">
        <GuiSettings Plugin="AlteryxBasePluginsGuiTextInputTextInput">
          <Position x="66" y="462" />
        </GuiSettings>
        <Properties>
          <Configuration>
            <NumRows value="5" />
            <Fields>
              <Field name="Priority" />
              <Field name="Shipping Method" />
            </Fields>
            <Data>
              <r>
                <c>Not Specified</c>
                <c>Freight</c>
              </r>
              <r>
                <c>Low</c>
                <c>Ground</c>
              </r>
              <r>
                <c>Medium</c>
                <c>2 Day</c>
              </r>
              <r>
                <c>High</c>
                <c>Next Day Air</c>
              </r>
              <r>
```

```
          <c>Critical</c>
          <c>Same Day</c>
        </r>
      </Data>
    </Configuration>
    <Annotation DisplayMode="0">
      <Name />
      <DefaultAnnotationText />
      <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTextInput" />
</Node>
<Node ToolID="13">
  <GuiSettings Plugin="AlteryxBasePluginsGui.DbFileInput.DbFileInput">
    <Position x="66" y="354" />
  </GuiSettings>
  <Properties>
    <Configuration>
      <Passwords />
      <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Start 4.1.yxdb</File>
      <FormatSpecificOptions />
    </Configuration>
    <Annotation DisplayMode="0">
      <Name />
      <DefaultAnnotationText>Start 4.1.yxdb</DefaultAnnotationText>
      <Left value="False" />
    </Annotation>
    <MetaInfo connection="Output">
      <RecordInfo>
        <Field name="Customer_ID" size="5" source="TextInput" type="V_String" />
        <Field name="Store_Number" size="3" source="TextInput" type="V_String" />
        <Field description="TextToColumns: Parsed from Field1" name="Name" size="45" source="TextToColumns: Parsed from Field1" type="V_String" />
        <Field description="TextToColumns: Parsed from Field1" name="Address" size="45" source="TextToColumns: Parsed from Field1" type="V_String" />
        <Field description="TextToColumns: Parsed from Field1" name="Zip" size="45" source="TextToColumns: Parsed from Field1" type="V_String" />
        <Field name="Product SKU" size="255" source="File: " type="V_String" />
        <Field name="Discount" source="(Multiple Sources)" type="Double" />
        <Field name="Unit_Price" source="File: " type="Double" />
        <Field name="Shipping_Cost" source="File: " type="Double" />
        <Field name="Order_Date" size="22" source="DateTime: (Multiple Sources)" type="V_String" />
        <Field name="Ship_Date" source="DateTime: To MM/dd/yyyy" type="Date" />
        <Field name="Quantity_ordered_new" source="File: " type="Byte" />
        <Field name="Order_ID" size="255" source="File: " type="V_String" />
        <Field name="Order_Priority" size="255" source="File: " type="V_String" />
        <Field name="Customer_Segment" size="14" source="TextInput" type="V_String" />
        <Field description="TextToColumns: Parsed from Field1" name="City" size="45" source="TextToColumns: Parsed from Field1" type="V_String" />
      </RecordInfo>
    </MetaInfo>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
</Node>
<Node ToolID="17">
```

```xml
<GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
    <Position x="66" y="702" />
</GuiSettings>
<Properties>
    <Configuration>
        <Passwords />
        <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Product Details.yxdb</File>
        <FormatSpecificOptions />
    </Configuration>
    <Annotation DisplayMode="0">
        <Name />
        <DefaultAnnotationText>Product Details.yxdb</DefaultAnnotationText>
        <Left value="False" />
    </Annotation>
    <MetaInfo connection="Output">
        <RecordInfo>
            <Field name="Info Category" size="17" source="CrossTabGroupFirst" type="String" />
            <Field name="1390" size="255" source="File:" type="V_String" />
            <Field name="1399" size="255" source="File:" type="V_String" />
            <Field name="1417" size="255" source="File:" type="V_String" />
            <Field name="2336" size="255" source="File:" type="V_String" />
            <Field name="2986" size="255" source="File:" type="V_String" />
            <Field name="3406" size="255" source="File:" type="V_String" />
            <Field name="3989" size="255" source="File:" type="V_String" />
            <Field name="4471" size="255" source="File:" type="V_String" />
            <Field name="4472" size="255" source="File:" type="V_String" />
            <Field name="4820" size="255" source="File:" type="V_String" />
            <Field name="4821" size="255" source="File:" type="V_String" />
            <Field name="4822" size="255" source="File:" type="V_String" />
            <Field name="5231" size="255" source="File:" type="V_String" />
            <Field name="6406" size="255" source="File:" type="V_String" />
            <Field name="7068" size="255" source="File:" type="V_String" />
            <Field name="7106" size="255" source="File:" type="V_String" />
            <Field name="18038" size="255" source="File:" type="V_String" />
            <Field name="18044" size="255" source="File:" type="V_String" />
            <Field name="18156" size="255" source="File:" type="V_String" />
            <Field name="18157" size="255" source="File:" type="V_String" />
            <Field name="18158" size="255" source="File:" type="V_String" />
            <Field name="18159" size="255" source="File:" type="V_String" />
            <Field name="18249" size="255" source="File:" type="V_String" />
            <Field name="18312" size="255" source="File:" type="V_String" />
            <Field name="18436" size="255" source="File:" type="V_String" />
            <Field name="18490" size="255" source="File:" type="V_String" />
            <Field name="18491" size="255" source="File:" type="V_String" />
            <Field name="18501" size="255" source="File:" type="V_String" />
            <Field name="18502" size="255" source="File:" type="V_String" />
            <Field name="18606" size="255" source="File:" type="V_String" />
            <Field name="18643" size="255" source="File:" type="V_String" />
            <Field name="18644" size="255" source="File:" type="V_String" />
            <Field name="18669" size="255" source="File:" type="V_String" />
            <Field name="18786" size="255" source="File:" type="V_String" />
            <Field name="18809" size="255" source="File:" type="V_String" />
            <Field name="18825" size="255" source="File:" type="V_String" />
            <Field name="18832" size="255" source="File:" type="V_String" />
            <Field name="18833" size="255" source="File:" type="V_String" />
            <Field name="18834" size="255" source="File:" type="V_String" />
```

```xml
<field name="18857" size="255" source="File " type="V_String" />
<field name="18858" size="255" source="File " type="V_String" />
<field name="18908" size="255" source="File " type="V_String" />
<field name="18969" size="255" source="File " type="V_String" />
<field name="18970" size="255" source="File " type="V_String" />
<field name="19072" size="255" source="File " type="V_String" />
<field name="19111" size="255" source="File " type="V_String" />
<field name="19125" size="255" source="File " type="V_String" />
<field name="19126" size="255" source="File " type="V_String" />
<field name="19131" size="255" source="File " type="V_String" />
<field name="19148" size="255" source="File " type="V_String" />
<field name="19202" size="255" source="File " type="V_String" />
<field name="19269" size="255" source="File " type="V_String" />
<field name="19274" size="255" source="File " type="V_String" />
<field name="19290" size="255" source="File " type="V_String" />
<field name="19384" size="255" source="File " type="V_String" />
<field name="19385" size="255" source="File " type="V_String" />
<field name="19457" size="255" source="File " type="V_String" />
<field name="19462" size="255" source="File " type="V_String" />
<field name="19463" size="255" source="File " type="V_String" />
<field name="19535" size="255" source="File " type="V_String" />
<field name="19536" size="255" source="File " type="V_String" />
<field name="19575" size="255" source="File " type="V_String" />
<field name="19589" size="255" source="File " type="V_String" />
<field name="19675" size="255" source="File " type="V_String" />
<field name="19739" size="255" source="File " type="V_String" />
<field name="19795" size="255" source="File " type="V_String" />
<field name="19852" size="255" source="File " type="V_String" />
<field name="19866" size="255" source="File " type="V_String" />
<field name="19949" size="255" source="File " type="V_String" />
<field name="19999" size="255" source="File " type="V_String" />
<field name="20061" size="255" source="File " type="V_String" />
<field name="20062" size="255" source="File " type="V_String" />
<field name="20101" size="255" source="File " type="V_String" />
<field name="20171" size="255" source="File " type="V_String" />
<field name="20220" size="255" source="File " type="V_String" />
<field name="20239" size="255" source="File " type="V_String" />
<field name="20391" size="255" source="File " type="V_String" />
<field name="20428" size="255" source="File " type="V_String" />
<field name="20487" size="255" source="File " type="V_String" />
<field name="20510" size="255" source="File " type="V_String" />
<field name="20511" size="255" source="File " type="V_String" />
<field name="20600" size="255" source="File " type="V_String" />
<field name="20604" size="255" source="File " type="V_String" />
<field name="20637" size="255" source="File " type="V_String" />
<field name="20744" size="255" source="File " type="V_String" />
<field name="20805" size="255" source="File " type="V_String" />
<field name="20823" size="255" source="File " type="V_String" />
<field name="20859" size="255" source="File " type="V_String" />
<field name="20870" size="255" source="File " type="V_String" />
<field name="20871" size="255" source="File " type="V_String" />
<field name="20882" size="255" source="File " type="V_String" />
<field name="20883" size="255" source="File " type="V_String" />
<field name="20884" size="255" source="File " type="V_String" />
<field name="20885" size="255" source="File " type="V_String" />
<field name="20898" size="255" source="File " type="V_String" />
```

```xml
<field name="20914" size="255" source="file " type="V_String" />
<field name="20937" size="255" source="file " type="V_String" />
<field name="20942" size="255" source="file " type="V_String" />
<field name="20946" size="255" source="file " type="V_String" />
<field name="20955" size="255" source="file " type="V_String" />
<field name="21045" size="255" source="file " type="V_String" />
<field name="21052" size="255" source="file " type="V_String" />
<field name="21053" size="255" source="file " type="V_String" />
<field name="21059" size="255" source="file " type="V_String" />
<field name="21060" size="255" source="file " type="V_String" />
<field name="21061" size="255" source="file " type="V_String" />
<field name="21082" size="255" source="file " type="V_String" />
<field name="21083" size="255" source="file " type="V_String" />
<field name="21130" size="255" source="file " type="V_String" />
<field name="21162" size="255" source="file " type="V_String" />
<field name="21163" size="255" source="file " type="V_String" />
<field name="21230" size="255" source="file " type="V_String" />
<field name="21307" size="255" source="file " type="V_String" />
<field name="21341" size="255" source="file " type="V_String" />
<field name="21353" size="255" source="file " type="V_String" />
<field name="21459" size="255" source="file " type="V_String" />
<field name="21525" size="255" source="file " type="V_String" />
<field name="21534" size="255" source="file " type="V_String" />
<field name="21535" size="255" source="file " type="V_String" />
<field name="21536" size="255" source="file " type="V_String" />
<field name="21549" size="255" source="file " type="V_String" />
<field name="21655" size="255" source="file " type="V_String" />
<field name="21680" size="255" source="file " type="V_String" />
<field name="21740" size="255" source="file " type="V_String" />
<field name="21741" size="255" source="file " type="V_String" />
<field name="21771" size="255" source="file " type="V_String" />
<field name="21785" size="255" source="file " type="V_String" />
<field name="21786" size="255" source="file " type="V_String" />
<field name="21802" size="255" source="file " type="V_String" />
<field name="21803" size="255" source="file " type="V_String" />
<field name="21818" size="255" source="file " type="V_String" />
<field name="21940" size="255" source="file " type="V_String" />
<field name="21957" size="255" source="file " type="V_String" />
<field name="21959" size="255" source="file " type="V_String" />
<field name="21988" size="255" source="file " type="V_String" />
<field name="22016" size="255" source="file " type="V_String" />
<field name="22025" size="255" source="file " type="V_String" />
<field name="22062" size="255" source="file " type="V_String" />
<field name="22083" size="255" source="file " type="V_String" />
<field name="22084" size="255" source="file " type="V_String" />
<field name="22143" size="255" source="file " type="V_String" />
<field name="22192" size="255" source="file " type="V_String" />
<field name="22196" size="255" source="file " type="V_String" />
<field name="22215" size="255" source="file " type="V_String" />
<field name="22239" size="255" source="file " type="V_String" />
<field name="22240" size="255" source="file " type="V_String" />
<field name="22330" size="255" source="file " type="V_String" />
<field name="22333" size="255" source="file " type="V_String" />
<field name="22394" size="255" source="file " type="V_String" />
<field name="22565" size="255" source="file " type="V_String" />
<field name="22580" size="255" source="file " type="V_String" />
```

```
<Field name="22582" size="255" source="File:" type="V_String" />
<Field name="22583" size="255" source="File:" type="V_String" />
<Field name="22593" size="255" source="File:" type="V_String" />
<Field name="22639" size="255" source="File:" type="V_String" />
<Field name="22650" size="255" source="File:" type="V_String" />
<Field name="22742" size="255" source="File:" type="V_String" />
<Field name="22743" size="255" source="File:" type="V_String" />
<Field name="22754" size="255" source="File:" type="V_String" />
<Field name="22851" size="255" source="File:" type="V_String" />
<Field name="22852" size="255" source="File:" type="V_String" />
<Field name="22853" size="255" source="File:" type="V_String" />
<Field name="22860" size="255" source="File:" type="V_String" />
<Field name="22864" size="255" source="File:" type="V_String" />
<Field name="22865" size="255" source="File:" type="V_String" />
<Field name="22938" size="255" source="File:" type="V_String" />
<Field name="23046" size="255" source="File:" type="V_String" />
<Field name="23144" size="255" source="File:" type="V_String" />
<Field name="23163" size="255" source="File:" type="V_String" />
<Field name="23164" size="255" source="File:" type="V_String" />
<Field name="23238" size="255" source="File:" type="V_String" />
<Field name="23307" size="255" source="File:" type="V_String" />
<Field name="23308" size="255" source="File:" type="V_String" />
<Field name="23311" size="255" source="File:" type="V_String" />
<Field name="23336" size="255" source="File:" type="V_String" />
<Field name="23342" size="255" source="File:" type="V_String" />
<Field name="23373" size="255" source="File:" type="V_String" />
<Field name="23384" size="255" source="File:" type="V_String" />
<Field name="23389" size="255" source="File:" type="V_String" />
<Field name="23404" size="255" source="File:" type="V_String" />
<Field name="23452" size="255" source="File:" type="V_String" />
<Field name="23596" size="255" source="File:" type="V_String" />
<Field name="23723" size="255" source="File:" type="V_String" />
<Field name="23724" size="255" source="File:" type="V_String" />
<Field name="23775" size="255" source="File:" type="V_String" />
<Field name="23829" size="255" source="File:" type="V_String" />
<Field name="23866" size="255" source="File:" type="V_String" />
<Field name="23889" size="255" source="File:" type="V_String" />
<Field name="23936" size="255" source="File:" type="V_String" />
<Field name="23954" size="255" source="File:" type="V_String" />
<Field name="23955" size="255" source="File:" type="V_String" />
<Field name="23956" size="255" source="File:" type="V_String" />
<Field name="23957" size="255" source="File:" type="V_String" />
<Field name="24028" size="255" source="File:" type="V_String" />
<Field name="24040" size="255" source="File:" type="V_String" />
<Field name="24146" size="255" source="File:" type="V_String" />
<Field name="24166" size="255" source="File:" type="V_String" />
<Field name="24179" size="255" source="File:" type="V_String" />
<Field name="24187" size="255" source="File:" type="V_String" />
<Field name="24211" size="255" source="File:" type="V_String" />
<Field name="24260" size="255" source="File:" type="V_String" />
<Field name="24358" size="255" source="File:" type="V_String" />
<Field name="24492" size="255" source="File:" type="V_String" />
<Field name="24541" size="255" source="File:" type="V_String" />
<Field name="24620" size="255" source="File:" type="V_String" />
<Field name="24692" size="255" source="File:" type="V_String" />
<Field name="24760" size="255" source="File:" type="V_String" />
```

```xml
              <Field name="24819" size="255" source="File: " type="V_String" />
              <Field name="24849" size="255" source="File: " type="V_String" />
              <Field name="24870" size="255" source="File: " type="V_String" />
              <Field name="24929" size="255" source="File: " type="V_String" />
              <Field name="24930" size="255" source="File: " type="V_String" />
              <Field name="24962" size="255" source="File: " type="V_String" />
              <Field name="25050" size="255" source="File: " type="V_String" />
              <Field name="25062" size="255" source="File: " type="V_String" />
              <Field name="25072" size="255" source="File: " type="V_String" />
              <Field name="25111" size="255" source="File: " type="V_String" />
              <Field name="25186" size="255" source="File: " type="V_String" />
              <Field name="25242" size="255" source="File: " type="V_String" />
              <Field name="25243" size="255" source="File: " type="V_String" />
              <Field name="25356" size="255" source="File: " type="V_String" />
              <Field name="25357" size="255" source="File: " type="V_String" />
              <Field name="25376" size="255" source="File: " type="V_String" />
              <Field name="25377" size="255" source="File: " type="V_String" />
              <Field name="25414" size="255" source="File: " type="V_String" />
              <Field name="25415" size="255" source="File: " type="V_String" />
              <Field name="25416" size="255" source="File: " type="V_String" />
              <Field name="25465" size="255" source="File: " type="V_String" />
              <Field name="25557" size="255" source="File: " type="V_String" />
              <Field name="25570" size="255" source="File: " type="V_String" />
              <Field name="25582" size="255" source="File: " type="V_String" />
              <Field name="25622" size="255" source="File: " type="V_String" />
              <Field name="25717" size="255" source="File: " type="V_String" />
              <Field name="25739" size="255" source="File: " type="V_String" />
              <Field name="25807" size="255" source="File: " type="V_String" />
              <Field name="25808" size="255" source="File: " type="V_String" />
              <Field name="25859" size="255" source="File: " type="V_String" />
              <Field name="25860" size="255" source="File: " type="V_String" />
              <Field name="25903" size="255" source="File: " type="V_String" />
              <Field name="25904" size="255" source="File: " type="V_String" />
              <Field name="25909" size="255" source="File: " type="V_String" />
              <Field name="25914" size="255" source="File: " type="V_String" />
              <Field name="25935" size="255" source="File: " type="V_String" />
              <Field name="26008" size="255" source="File: " type="V_String" />
              <Field name="26053" size="255" source="File: " type="V_String" />
              <Field name="26110" size="255" source="File: " type="V_String" />
              <Field name="26122" size="255" source="File: " type="V_String" />
              <Field name="26151" size="255" source="File: " type="V_String" />
              <Field name="26241" size="255" source="File: " type="V_String" />
              <Field name="26247" size="255" source="File: " type="V_String" />
              <Field name="26266" size="255" source="File: " type="V_String" />
              <Field name="26267" size="255" source="File: " type="V_String" />
              <Field name="26268" size="255" source="File: " type="V_String" />
              <Field name="26313" size="255" source="File: " type="V_String" />
              <Field name="26314" size="255" source="File: " type="V_String" />
              <Field name="26321" size="255" source="File: " type="V_String" />
              <Field name="26344" size="255" source="File: " type="V_String" />
              <Field name="26364" size="255" source="File: " type="V_String" />
              <Field name="26378" size="255" source="File: " type="V_String" />
          </RecordInfo>
        </MetaInfo>
    </Properties>
    <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
```

```
        </Node>
        <Node ToolID="22">
          <GuiSettings Plugin="AlteryxBasePluginsGuiDbFileInputDbFileInput">
            <Position x="618" y="354" />
          </GuiSettings>
          <Properties>
            <Configuration>
              <Passwords />
              <File OutputFileName="" FileFormat="19" SearchSubDirs="False" RecordLimit="">Final State - Exercise 4.yxdb</File>
              <FormatSpecificOptions />
            </Configuration>
            <Annotation DisplayMode="0">
              <Name />
              <DefaultAnnotationText>Final State - Exercise 4.yxdb</DefaultAnnotationText>
              <Left value="False" />
            </Annotation>
            <MetaInfo connection="Output">
              <RecordInfo>
                <Field name="Order_ID" size="255" source="Summarize: GroupBy - Order_ID" type="V_String" />
                <Field name="All Product Categories" size="2147483647" source="Summarize: Concat - Product_Category" type="V_String" />
                <Field name="All Shipping Methods" size="2147483647" source="Summarize: Concat - Shipping Method" type="V_String" />
                <Field name="Review" size="1073741823" source="Formula: If Contains([All Shipping Methods], &quot;Freight&quot;) AND Contains([All Product Categories], &quot;Tech&quot;)&#xA;then &quot;REVIEW&quot; else null() endif" type="V_WString" />
              </RecordInfo>
            </MetaInfo>
          </Properties>
          <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxDbFileInput" />
        </Node>
        <Node ToolID="23">
          <GuiSettings Plugin="AlteryxBasePluginsGuiJoinJoin">
            <Position x="198" y="426" />
          </GuiSettings>
          <Properties>
            <Configuration joinByRecordPos="False">
              <JoinInfo connection="Left">
                <Field field="Order_Priority" />
              </JoinInfo>
              <JoinInfo connection="Right">
                <Field field="Priority" />
              </JoinInfo>
              <SelectConfiguration>
                <Configuration outputConnection="Join">
                  <OrderChanged value="False" />
                  <CommaDecimal value="False" />
                  <SelectFields>
                    <SelectField field="Right_Priority" selected="False" input="Right_" />
                    <SelectField field="*Unknown" selected="True" />
                  </SelectFields>
                </Configuration>
              </SelectConfiguration>
            </Configuration>
            <Annotation DisplayMode="0">
              <Name />
              <DefaultAnnotationText />
```

```xml
          <Left value="False" />
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxJoin" />
    </Node>
    <Node ToolID="25">
      <GuiSettings Plugin="AlteryxBasePluginsGui.Transpose.Transpose">
        <Position x="174" y="702" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <ErrorWarn>Warn</ErrorWarn>
          <KeyFields>
            <Field field="Info Category" />
          </KeyFields>
          <DataFields>
            <Field field="Info Category" selected="False" />
            <Field field="1390" selected="True" />
            <Field field="1399" selected="True" />
            <Field field="1417" selected="True" />
            <Field field="2336" selected="True" />
            <Field field="2986" selected="True" />
            <Field field="3406" selected="True" />
            <Field field="3989" selected="True" />
            <Field field="4471" selected="True" />
            <Field field="4472" selected="True" />
            <Field field="4820" selected="True" />
            <Field field="4821" selected="True" />
            <Field field="4822" selected="True" />
            <Field field="5231" selected="True" />
            <Field field="6406" selected="True" />
            <Field field="7068" selected="True" />
            <Field field="7106" selected="True" />
            <Field field="18038" selected="True" />
            <Field field="18044" selected="True" />
            <Field field="18156" selected="True" />
            <Field field="18157" selected="True" />
            <Field field="18158" selected="True" />
            <Field field="18159" selected="True" />
            <Field field="18249" selected="True" />
            <Field field="18312" selected="True" />
            <Field field="18436" selected="True" />
            <Field field="18490" selected="True" />
            <Field field="18491" selected="True" />
            <Field field="18501" selected="True" />
            <Field field="18502" selected="True" />
            <Field field="18606" selected="True" />
            <Field field="18643" selected="True" />
            <Field field="18644" selected="True" />
            <Field field="18669" selected="True" />
            <Field field="18786" selected="True" />
            <Field field="18809" selected="True" />
            <Field field="18825" selected="True" />
            <Field field="18832" selected="True" />
            <Field field="18833" selected="True" />
            <Field field="18834" selected="True" />
```

```
<field field="18857" selected="True" />
<field field="18858" selected="True" />
<field field="18908" selected="True" />
<field field="18969" selected="True" />
<field field="18970" selected="True" />
<field field="19072" selected="True" />
<field field="19111" selected="True" />
<field field="19125" selected="True" />
<field field="19126" selected="True" />
<field field="19131" selected="True" />
<field field="19148" selected="True" />
<field field="19202" selected="True" />
<field field="19269" selected="True" />
<field field="19274" selected="True" />
<field field="19290" selected="True" />
<field field="19384" selected="True" />
<field field="19385" selected="True" />
<field field="19457" selected="True" />
<field field="19462" selected="True" />
<field field="19463" selected="True" />
<field field="19535" selected="True" />
<field field="19536" selected="True" />
<field field="19575" selected="True" />
<field field="19589" selected="True" />
<field field="19675" selected="True" />
<field field="19739" selected="True" />
<field field="19795" selected="True" />
<field field="19852" selected="True" />
<field field="19866" selected="True" />
<field field="19949" selected="True" />
<field field="19999" selected="True" />
<field field="20061" selected="True" />
<field field="20062" selected="True" />
<field field="20101" selected="True" />
<field field="20171" selected="True" />
<field field="20220" selected="True" />
<field field="20239" selected="True" />
<field field="20391" selected="True" />
<field field="20428" selected="True" />
<field field="20487" selected="True" />
<field field="20510" selected="True" />
<field field="20511" selected="True" />
<field field="20600" selected="True" />
<field field="20604" selected="True" />
<field field="20637" selected="True" />
<field field="20744" selected="True" />
<field field="20805" selected="True" />
<field field="20823" selected="True" />
<field field="20859" selected="True" />
<field field="20870" selected="True" />
<field field="20871" selected="True" />
<field field="20882" selected="True" />
<field field="20883" selected="True" />
<field field="20884" selected="True" />
<field field="20885" selected="True" />
<field field="20898" selected="True" />
```

```
<field field="20914" selected="True" />
<field field="20937" selected="True" />
<field field="20942" selected="True" />
<field field="20946" selected="True" />
<field field="20955" selected="True" />
<field field="21045" selected="True" />
<field field="21052" selected="True" />
<field field="21053" selected="True" />
<field field="21059" selected="True" />
<field field="21060" selected="True" />
<field field="21061" selected="True" />
<field field="21082" selected="True" />
<field field="21083" selected="True" />
<field field="21130" selected="True" />
<field field="21162" selected="True" />
<field field="21163" selected="True" />
<field field="21230" selected="True" />
<field field="21307" selected="True" />
<field field="21341" selected="True" />
<field field="21353" selected="True" />
<field field="21459" selected="True" />
<field field="21525" selected="True" />
<field field="21534" selected="True" />
<field field="21535" selected="True" />
<field field="21536" selected="True" />
<field field="21549" selected="True" />
<field field="21655" selected="True" />
<field field="21680" selected="True" />
<field field="21740" selected="True" />
<field field="21741" selected="True" />
<field field="21771" selected="True" />
<field field="21785" selected="True" />
<field field="21786" selected="True" />
<field field="21802" selected="True" />
<field field="21803" selected="True" />
<field field="21818" selected="True" />
<field field="21940" selected="True" />
<field field="21957" selected="True" />
<field field="21959" selected="True" />
<field field="21988" selected="True" />
<field field="22016" selected="True" />
<field field="22025" selected="True" />
<field field="22062" selected="True" />
<field field="22083" selected="True" />
<field field="22084" selected="True" />
<field field="22143" selected="True" />
<field field="22192" selected="True" />
<field field="22196" selected="True" />
<field field="22215" selected="True" />
<field field="22239" selected="True" />
<field field="22240" selected="True" />
<field field="22330" selected="True" />
<field field="22333" selected="True" />
<field field="22394" selected="True" />
<field field="22565" selected="True" />
<field field="22580" selected="True" />
```

```xml
<field field="22582" selected="True" />
<field field="22583" selected="True" />
<field field="22593" selected="True" />
<field field="22639" selected="True" />
<field field="22650" selected="True" />
<field field="22742" selected="True" />
<field field="22743" selected="True" />
<field field="22754" selected="True" />
<field field="22851" selected="True" />
<field field="22852" selected="True" />
<field field="22853" selected="True" />
<field field="22860" selected="True" />
<field field="22864" selected="True" />
<field field="22865" selected="True" />
<field field="22938" selected="True" />
<field field="23046" selected="True" />
<field field="23144" selected="True" />
<field field="23163" selected="True" />
<field field="23164" selected="True" />
<field field="23238" selected="True" />
<field field="23307" selected="True" />
<field field="23308" selected="True" />
<field field="23311" selected="True" />
<field field="23336" selected="True" />
<field field="23342" selected="True" />
<field field="23373" selected="True" />
<field field="23384" selected="True" />
<field field="23389" selected="True" />
<field field="23404" selected="True" />
<field field="23452" selected="True" />
<field field="23596" selected="True" />
<field field="23723" selected="True" />
<field field="23724" selected="True" />
<field field="23775" selected="True" />
<field field="23829" selected="True" />
<field field="23866" selected="True" />
<field field="23889" selected="True" />
<field field="23936" selected="True" />
<field field="23954" selected="True" />
<field field="23955" selected="True" />
<field field="23956" selected="True" />
<field field="23957" selected="True" />
<field field="24028" selected="True" />
<field field="24040" selected="True" />
<field field="24146" selected="True" />
<field field="24166" selected="True" />
<field field="24179" selected="True" />
<field field="24187" selected="True" />
<field field="24211" selected="True" />
<field field="24260" selected="True" />
<field field="24358" selected="True" />
<field field="24492" selected="True" />
<field field="24541" selected="True" />
<field field="24620" selected="True" />
<field field="24692" selected="True" />
<field field="24760" selected="True" />
```

```
              <Field field="24819" selected="True" />
              <Field field="24849" selected="True" />
              <Field field="24870" selected="True" />
              <Field field="24929" selected="True" />
              <Field field="24930" selected="True" />
              <Field field="24962" selected="True" />
              <Field field="25050" selected="True" />
              <Field field="25062" selected="True" />
              <Field field="25072" selected="True" />
              <Field field="25111" selected="True" />
              <Field field="25186" selected="True" />
              <Field field="25242" selected="True" />
              <Field field="25243" selected="True" />
              <Field field="25356" selected="True" />
              <Field field="25357" selected="True" />
              <Field field="25376" selected="True" />
              <Field field="25377" selected="True" />
              <Field field="25414" selected="True" />
              <Field field="25415" selected="True" />
              <Field field="25416" selected="True" />
              <Field field="25465" selected="True" />
              <Field field="25557" selected="True" />
              <Field field="25570" selected="True" />
              <Field field="25582" selected="True" />
              <Field field="25622" selected="True" />
              <Field field="25717" selected="True" />
              <Field field="25739" selected="True" />
              <Field field="25807" selected="True" />
              <Field field="25808" selected="True" />
              <Field field="25859" selected="True" />
              <Field field="25860" selected="True" />
              <Field field="25903" selected="True" />
              <Field field="25904" selected="True" />
              <Field field="25909" selected="True" />
              <Field field="25914" selected="True" />
              <Field field="25935" selected="True" />
              <Field field="26008" selected="True" />
              <Field field="26053" selected="True" />
              <Field field="26110" selected="True" />
              <Field field="26122" selected="True" />
              <Field field="26151" selected="True" />
              <Field field="26241" selected="True" />
              <Field field="26247" selected="True" />
              <Field field="26266" selected="True" />
              <Field field="26267" selected="True" />
              <Field field="26268" selected="True" />
              <Field field="26313" selected="True" />
              <Field field="26314" selected="True" />
              <Field field="26321" selected="True" />
              <Field field="26344" selected="True" />
              <Field field="26364" selected="True" />
              <Field field="26378" selected="True" />
              <Field field="*Unknown" selected="True" />
        </DataFields>
    </Configuration>
    <Annotation DisplayMode="0">
```

```xml
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
      </Annotation>
    </Properties>
    <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTranspose" />
  </Node>
  <Node ToolID="26">
    <GuiSettings Plugin="AlteryxBasePluginsGui.TextToColumns.TextToColumns">
      <Position x="174" y="570" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <Field>Product SKU</Field>
        <ErrorHandling>Last</ErrorHandling>
        <RootName>Product SKU</RootName>
        <Delimeters value="." />
        <NumFields value="33" />
        <Flags value="0" />
      </Configuration>
      <Annotation DisplayMode="0">
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
      </Annotation>
    </Properties>
    <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTextToColumns" />
  </Node>
  <Node ToolID="28">
    <GuiSettings Plugin="AlteryxBasePluginsGui.Transpose.Transpose">
      <Position x="294" y="570" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <ErrorWarn>Warn</ErrorWarn>
        <KeyFields>
          <Field field="Product_Category" />
          <Field field="Product_Sub-Category" />
        </KeyFields>
        <DataFields>
          <Field field="Product_Category" selected="False" />
          <Field field="Product_Sub-Category" selected="False" />
          <Field field="Product SKU" selected="False" />
          <Field field="Product SKU1" selected="True" />
          <Field field="Product SKU2" selected="True" />
          <Field field="Product SKU3" selected="True" />
          <Field field="Product SKU4" selected="True" />
          <Field field="Product SKU5" selected="True" />
          <Field field="Product SKU6" selected="True" />
          <Field field="Product SKU7" selected="True" />
          <Field field="Product SKU8" selected="True" />
          <Field field="Product SKU9" selected="True" />
          <Field field="Product SKU10" selected="True" />
          <Field field="Product SKU11" selected="True" />
          <Field field="Product SKU12" selected="True" />
          <Field field="Product SKU13" selected="True" />
```

```xml
          <Field field="Product SKU14" selected="True" />
          <Field field="Product SKU15" selected="True" />
          <Field field="Product SKU16" selected="True" />
          <Field field="Product SKU17" selected="True" />
          <Field field="Product SKU18" selected="True" />
          <Field field="Product SKU19" selected="True" />
          <Field field="Product SKU20" selected="True" />
          <Field field="Product SKU21" selected="True" />
          <Field field="Product SKU22" selected="True" />
          <Field field="Product SKU23" selected="True" />
          <Field field="Product SKU24" selected="True" />
          <Field field="Product SKU25" selected="True" />
          <Field field="Product SKU26" selected="True" />
          <Field field="Product SKU27" selected="True" />
          <Field field="Product SKU28" selected="True" />
          <Field field="Product SKU29" selected="True" />
          <Field field="Product SKU30" selected="True" />
          <Field field="Product SKU31" selected="True" />
          <Field field="Product SKU32" selected="True" />
          <Field field="Product SKU33" selected="True" />
          <Field field="*Unknown" selected="True" />
        </DataFields>
      </Configuration>
      <Annotation DisplayMode="0">
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
      </Annotation>
    </Properties>
    <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxTranspose" />
  </Node>
  <Node ToolID="29">
    <GuiSettings Plugin="AlteryxBasePluginsGuiFilter.Filter">
      <Position x="378" y="570" />
    </GuiSettings>
    <Properties>
      <Configuration>
        <Expression>!IsNull([Value])</Expression>
        <Mode>Simple</Mode>
        <Simple>
          <Operator>IsNotNull</Operator>
          <Field>Value</Field>
          <Operands>
            <IgnoreTimeInDateTime>True</IgnoreTimeInDateTime>
            <DateType>fixed</DateType>
            <PeriodDate>2019-10-11 08:56:00</PeriodDate>
            <PeriodType>
            </PeriodType>
            <PeriodCount>0</PeriodCount>
            <Operand>
            </Operand>
            <StartDate>2019-10-11 08:56:00</StartDate>
            <EndDate>2019-10-11 08:56:00</EndDate>
          </Operands>
        </Simple>
      </Configuration>
```

```xml
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText>!IsNull([Value])</DefaultAnnotationText>
          <Left value="False" />
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxFilter" />
    </Node>
    <Node ToolID="30">
      <GuiSettings Plugin="AlteryxBasePluginsGuiJoin.Join">
        <Position x="498" y="690" />
      </GuiSettings>
      <Properties>
        <Configuration joinByRecordPos="False">
          <JoinInfo connection="Left">
            <Field field="Value" />
          </JoinInfo>
          <JoinInfo connection="Right">
            <Field field="Name" />
          </JoinInfo>
          <SelectConfiguration>
            <Configuration outputConnection="Join">
              <OrderChanged value="False" />
              <CommaDecimal value="False" />
              <SelectFields>
                <SelectField field="Left_Name" selected="False" input="Left_" />
                <SelectField field="Left_Value" selected="False" input="Left_" />
                <SelectField field="*Unknown" selected="True" />
              </SelectFields>
            </Configuration>
          </SelectConfiguration>
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxJoin" />
    </Node>
    <Node ToolID="32">
      <GuiSettings Plugin="AlteryxBasePluginsGuiFilter.Filter">
        <Position x="258" y="702" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <Expression>[Info Category] = "Product_Container"</Expression>
          <Mode>Simple</Mode>
          <Simple>
            <Operator>=</Operator>
            <Field>Info Category</Field>
            <Operands>
              <IgnoreTimeInDateTime>True</IgnoreTimeInDateTime>
              <DateType>fixed</DateType>
              <PeriodDate>2019-10-11 09:01:02</PeriodDate>
              <PeriodType>
```

```xml
          </PeriodType>
          <PeriodCount>0</PeriodCount>
          <Operand>Product_Container</Operand>
          <StartDate>2019-10-11 09:01:02</StartDate>
          <EndDate>2019-10-11 09:01:02</EndDate>
        </Operands>
      </Simple>
    </Configuration>
    <Annotation DisplayMode="0">
        <Name />
        <DefaultAnnotationText>[Info Category] = "Product_Container"</DefaultAnnotationText>
        <Left value="False" />
    </Annotation>
  </Properties>
  <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxFilter" />
</Node>
<Node ToolID="33">
  <GuiSettings Plugin="AlteryxBasePluginsGuiJoinJoin">
      <Position x="594" y="558" />
  </GuiSettings>
  <Properties>
    <Configuration joinByRecordPos="False">
        <JoinInfo connection="Left">
          <Field field="Product SKU" />
        </JoinInfo>
        <JoinInfo connection="Right">
          <Field field="Name" />
        </JoinInfo>
        <SelectConfiguration>
          <Configuration outputConnection="Join">
            <OrderChanged value="False" />
            <CommaDecimal value="False" />
            <SelectFields>
              <SelectField field="Left_Customer_ID" selected="False" input="Left_" />
              <SelectField field="Left_Store_Number" selected="False" input="Left_" />
              <SelectField field="Left_Name" selected="False" input="Left_" />
              <SelectField field="Left_Address" selected="False" input="Left_" />
              <SelectField field="Left_Zip" selected="False" input="Left_" />
              <SelectField field="Left_Discount" selected="False" input="Left_" />
              <SelectField field="Left_Unit_Price" selected="False" input="Left_" />
              <SelectField field="Left_Shipping_Cost" selected="False" input="Left_" />
              <SelectField field="Left_Order_Date" selected="False" input="Left_" />
              <SelectField field="Left_Ship_Date" selected="False" input="Left_" />
              <SelectField field="Left_Quantity_ordered_new" selected="False" input="Left_" />
              <SelectField field="Left_Customer_Segment" selected="False" input="Left_" />
              <SelectField field="Left_City" selected="False" input="Left_" />
              <SelectField field="Right_Name" selected="False" rename="Right_Name" input="Right_" />
              <SelectField field="*Unknown" selected="True" />
            </SelectFields>
          </Configuration>
        </SelectConfiguration>
    </Configuration>
    <Annotation DisplayMode="0">
        <Name />
        <DefaultAnnotationText />
        <Left value="False" />
```

```
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxJoin" />
    </Node>
    <Node ToolID="34">
      <GuiSettings Plugin="AlteryxBasePluginsGui.Formula.Formula">
        <Position x="882" y="558" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <FormulaFields>
            <FormulaField expression="IF Contains([All Product Categories], &quot;Technology&quot;) AND Contains([All Shipping
Methods], &quot;Freight&quot;) THEN &quot;REVIEW&quot; ELSE Null() ENDIF" field="Review" size="1073741823"
type="V_WString" />
          </FormulaFields>
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText>Review = IF Contains([All Product Categories], "Technology") AND Contains([All
S...</DefaultAnnotationText>
          <Left value="False" />
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxBasePluginsEngine.dll" EngineDllEntryPoint="AlteryxFormula" />
    </Node>
    <Node ToolID="35">
      <GuiSettings Plugin="AlteryxSpatialPluginsGui.Summarize.Summarize">
        <Position x="726" y="558" />
      </GuiSettings>
      <Properties>
        <Configuration>
          <SummarizeFields>
            <SummarizeField field="Order_ID" action="GroupBy" rename="Order_ID" />
            <SummarizeField field="Product_Category" action="Concat" rename="All Product Categories">
              <Concat_Start />
              <Separator>,</Separator>
              <Concat_End />
            </SummarizeField>
            <SummarizeField field="Shipping Method" action="Concat" rename="All Shipping Methods">
              <Concat_Start />
              <Separator>,</Separator>
              <Concat_End />
            </SummarizeField>
          </SummarizeFields>
        </Configuration>
        <Annotation DisplayMode="0">
          <Name />
          <DefaultAnnotationText />
          <Left value="False" />
        </Annotation>
      </Properties>
      <EngineSettings EngineDll="AlteryxSpatialPluginsEngine.dll" EngineDllEntryPoint="AlteryxSummarize" />
    </Node>
  </Nodes>
  <Connections>
    <Connection>
```

```xml
      <Origin ToolID="6" Connection="Output" />
      <Destination ToolID="26" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="11" Connection="Output" />
      <Destination ToolID="23" Connection="Right" />
    </Connection>
    <Connection>
      <Origin ToolID="13" Connection="Output" />
      <Destination ToolID="23" Connection="Left" />
    </Connection>
    <Connection>
      <Origin ToolID="17" Connection="Output" />
      <Destination ToolID="25" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="23" Connection="Join" />
      <Destination ToolID="33" Connection="Left" />
    </Connection>
    <Connection>
      <Origin ToolID="30" Connection="Join" />
      <Destination ToolID="33" Connection="Right" />
    </Connection>
    <Connection>
      <Origin ToolID="25" Connection="Output" />
      <Destination ToolID="32" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="26" Connection="Output" />
      <Destination ToolID="28" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="28" Connection="Output" />
      <Destination ToolID="29" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="29" Connection="True" />
      <Destination ToolID="30" Connection="Left" />
    </Connection>
    <Connection>
      <Origin ToolID="32" Connection="True" />
      <Destination ToolID="30" Connection="Right" />
    </Connection>
    <Connection>
      <Origin ToolID="33" Connection="Join" />
      <Destination ToolID="35" Connection="Input" />
    </Connection>
    <Connection>
      <Origin ToolID="35" Connection="Output" />
      <Destination ToolID="34" Connection="Input" />
    </Connection>
  </Connections>
  <Properties>
    <Memory default="True" />
    <GlobalRecordLimit value="0" />
    <TempFiles default="True" />
```

```
<Annotation on="True" includeToolName="False" />
<ConvErrorLimit value="10" />
<ConvErrorLimit_Stop value="False" />
<CancelOnError value="False" />
<DisableBrowse value="False" />
<EnablePerformanceProfiling value="False" />
<DisableAllOutput value="False" />
<ShowAllMacroMessages value="False" />
<ShowConnectionStatusIsOn value="True" />
<ShowConnectionStatusOnlyWhenRunning value="True" />
<ZoomLevel value="0" />
<LayoutType>Horizontal</LayoutType>
<MetaInfo>
    <NameIsFileName value="True" />
    <Name>Practice Exercise 4</Name>
    <Description />
    <RootToolName />
    <ToolVersion />
    <ToolInDb value="False" />
    <CategoryName />
    <SearchTags />
    <Author />
    <Company />
    <Copyright />
    <DescriptionLink actual="" displayed="" />
    <Example>
        <Description />
        <File />
    </Example>
</MetaInfo>
<Events>
    <Enabled value="True" />
</Events>
</Properties>
</AlteryxDocument>
```